Attorney Docket No. 503 US

AMENDMENTS TO THE CLAIMS

1. - 19. (cancelled)

20. (currently amended) An elastic A composite web comprising an extensible a creped nonwoven layer and a perforated uncreped elastic layer having a first and second surfaces, the perforated uncreped elastic layer being bonded at a plurality of points on said first surface to high points of the extensible creped nonwoven layer, wherein the perforated clastic layer has an elongation to break of at least 50%, and the extensible nonwoven layer has a crepe induced extensibility of at least 25%.

- 21. (original) The composite web of claim 20 wherein the elastic layer comprises a three-dimensional apertured film.
- 22. (original) The composite web of claim 20 wherein the elastic layer comprises a two-dimensional apertured film.
- 23. 25. (cancelled)
- 26. (original) An absorbent article comprising the composite web of claim 20.

THIS PAGE BLANK (USPTO)

Attorney Docket No. 503 US

- 27. (original) The absorbent article of claim 26 wherein the elastic layer comprises a three-dimensional apertured film.
- 28. (original) The absorbent article of claim 26 wherein the elastic layer comprises a two-dimensional apertured film.
- 29. (original) The absorbent article of claim 26 wherein the elastic layer comprises: a first non-elastic skin layer; a second non-elastic skin layer; and an elastic core between the first and second skin layers.
- 30. (original) An absorbent article comprising the composite web of claim 23 40.
- 31. (original) The absorbent article of claim 30 wherein the elastic layer comprises a three-dimensional apertured film.
- 32. (original) The absorbent article of claim 30 wherein the elastic layer comprises a two-dimensional apertured film.
- 33. (original) The absorbent article of claim 30 wherein the elastic layer comprises: a first non-elastic skin layer; a second non-elastic skin layer; and an elastic core between the first and second skin layers.

Attorney Docket No. 503 US

- 34. (new) The composite web of claim 20 wherein said nonwoven layer is constructed of a non-elastic material.
- 35. (new) The composite of claim 34 wherein said nonwoven layer is extensible in a direction perpendicular to its creping.
- 36. (new) The composite web of claim 35 wherein said nonwoven layer is unactivated.
- 37. (new) The composite web of claim 35 wherein said nonwoven layer is activated.
- 38. (new) The composite web of claim 35 wherein the perforated uncreped elastic layer is bonded at a plurality of points to high points of the creped nonwoven layer.
- 39. (new) The composite web of claim 38 wherein the perforated elastic layer has an elongation to break of at least 50%, and the extensible nonwoven layer has a crepe induced extensibility of at least 25%.
- 40. (new) The composite web of claim 20 further comprising a second nonwoven layer bonded to said second surface of said perforated elastic layer.

Attorney Docket No. 503 US

- 41. (new) The composite web of claim 40 wherein said second nonwoven layer is creped.
- 42. (new) The composite web of claim 40 wherein said second nonwoven layer is uncreped.
- 43. (new) The composite web of claim 20 wherein said web is extensible.
- 44. (new) The composite web of claim 20 wherein said web is elastic.